

mediaJET® Museum White Smooth | white mat cotton paper

Product description:

Museum White Smooth is the slightly lighter addition to Museum Natural Smooth, also made of 100% cotton, with a soft surface and subtle paper texture. Low optical brighteners, acid-free and therefore ideal for long-lasting photo and fine-art reproductions. Ideal for black/white prints as the white tones are more natural and neutral due to the white paper. For premium prints with extremely high D-Max value on genuine cotton paper.

Specific feature:

This new Museum White Smooth 100% cotton paper is characterized by its velvet soft, white surface. Ideal for photographic applications and high quality photo and fine art prints, Museum White Smooth is available in two grammages, middle and heavy weight, with a matt ink jet coating on one side. It was designed especially for users, whose photo and fine art prints demand a high-quality surface. Museum White Smooth was designed especially for photographers printing black and white photos, who demand a high-quality surface. Due to the special ink jet coating, harmonious colour intensity, the highest D-max and exact reproductions can be achieved with pigment and dye inks and with most printing systems. Museum White Smooth photo art paper is coated with the most modern coating technology, giving it a stable and uniform paper with a dust free printing surface. Prints made with pigment inks on our Museum White Smooth are tested for longevity using recognized standardized processes.

Processing:

To guarantee optimal quality, photo and fine art papers should be stored and processed in a climate with 30-70% relative humidity and at temperatures from 15-30°C. We recommend that the paper be acclimatised in the print room for one day before printing, and to reseal in the original package after printing. Prevent fingerprints on the coated side by wearing clean cotton gloves while processing.

Technical specification:

Material:	PAPIER	Opacity:	99% ISO 2471
Application Area:	NUR IM INNENBEREICH	UV-whiteness:	91,5% D65 2° 460nm
Surface:	MATT	ph-value:	8,1 DIN 53124
Specific gravity:	270,00g/m²	Acid free:	ja
Thickness:	450,00µm	OBA Content:	moderat
water resistant:	ja		

This information consists of standard values for your guidance. Before using our print media, please check their suitability to your printer and for your intended application. Taking account of technical development, product specifications may be amended without prior notice at any time. There is no guarantee that the same results can be achieved. We can not accept liability for any errors resulting from technical changes in printers and / or inks.